



Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims:


1. **(currently amended)** A compound having the general formula (I):




wherein



and



or



and wherein:

each of $R^1, R^2, R^3, R^4, R^5, R^9, R^{10}, R^{11}, R^{12}$ and R^{13} is independently a hydrocarbyl group;

each of R^6, R^7 and R^8 is independently a hydrogen or a hydrocarbyl group;

with the proviso that:

(i) when Q^+ is a phosphonium cation and X^- is a phosphate, or a phosphonate anion other than a phosphonate in which R^{13} is perfluorohydrocarbyl, then R^1 , R^2 , R^3 , and R^4 each has three or more carbon atoms;

(ii) when Q^+ is a phosphonium cation and X^- is a sulfate then the sum of carbon atoms in R^1 , R^2 , R^3 , and R^4 is greater than 4;

(iii) when Q^+ is an imidazolium cation, X^- is not a sulfate anion; ~~and~~

(iv) when Q^+ is a phosphonium cation, X^- is methylsulfate, and one of R^1 , R^2 , R^3 , and R^4 is methyl, the others of R^1 , R^2 , R^3 , and R^4 cannot be 2-cyanoethyl; and

(v) Q^+X^- is not 1-butyl-3-methylimidazolium dibutylphosphate.

2. **(currently amended)** A compound according to claim 1, wherein Q^+ is a tetralkylphosphonium and ~~and~~ X^- is an alkylsulfate anion.

3. **(original)** A compound according to claim 2, wherein R^1 , R^2 , and R^3 are hydrocarbyl groups with three or more carbon atoms.

4. **(original)** A compound according to claim 2, wherein R^1 , R^2 , and R^3 are each n-butyl.

5. **(currently amended)** A compound according to ~~any one of claims 2 to 4~~ claim 1, wherein:

R^4 is methyl and $[[R^6]] \underline{R^5}$ is methyl; or

R^4 is ethyl and $[[R^6]] \underline{R^5}$ is ethyl; or

R^4 is n-butyl and $[[R^6]] \underline{R^5}$ is n-butyl.

6. **(currently amended)** A compound according to claim 1, wherein the compound is selected from the group consisting of

tri-(n-butyl)methylphosphonium methylsulfate;

tri-(n-butyl)ethylphosphonium ethylsulfate;

tetra-(n-butyl)phosphonium n-butylsulfate;

triethyl-(n-butyl)phosphonium n-butylsulfate;

tetrabutylphosphonium dibutylphosphate;


tri-iso-butyl-butylphosphonium dibutylphosphate

N,N-dimethylimidazolium dimethylphosphate;
~~N-methyl-N-butylimidazolium dibutylphosphate;~~ and
 N-methyl-N-ethylimidazolium ethylethanephosphonate; and
 tributylmethylphosphonium methyltrifluoromethanephosphonate.


7. **(currently amended)** A process for preparing a compound of formula (I):




wherein



and



or



and wherein:

each of $R^1, R^2, R^3, R^4, R^5, R^9, R^{10}, R^{11}, R^{12}$, and R^{13} is independently a hydrocarbyl group;

each of R^6, R^7 , and R^8 , is a hydrogen or hydrocarbyl group;

with the proviso that:

(i) when Q^+ is a phosphonium cation and X^- is a phosphate, or a phosphonate anion other than a phosphonate in which R^{13} is perfluorohydrocarbyl, then R^1 , R^2 , R^3 , and R^4 each has three or more carbon atoms;


(ii) when Q^+ is a phosphonium cation and X^- is a sulfate then the sum of carbon atoms in R^1 , R^2 , R^3 , and R^4 is greater than 4;

(iii) when Q^+ is an imidazolium cation, X^- is not a sulfate; and

(iv) when Q^+ is a phosphonium cation, X^- is methylsulfate, and one of R^1 , R^2 , R^3 , and R^4 is methyl, the others of R^1 , R^2 , R^3 , and R^4 cannot be 2-cyanoethyl[.]; and


(v) Q^+X^- is not 1-butyl-3-methylimidazolium dibutylphosphate

the process comprising reacting a compound of formula (II):




wherein each of R^1 , R^2 , and R^3 is independently a hydrocarbyl group,

or formula (III):



wherein R^5 is a hydrocarbyl group, and cation of R^6 , R^7 and R^8 is independently a hydrogen or hydrocarbyl group,

with a compound defined by one of the following formulae:



wherein each of R^4 , R^9 , R^{10} , R^{11} , R^{12} and R^{13} is a hydrocarbyl group.

8. **(original)** The process of claim 7, wherein the reaction is carried out in the absence of solvent.
9. **(currently amended)** The process of claim 7, wherein Q^+ is a tetralkylphosphonium and X^- is an alkylsulfate anion.
10. **(original)** The process of claim 9, wherein R^1 , R^2 , and R^3 are hydrocarbyl groups with three or more carbon atoms.
11. **(original)** The process of claim 9, wherein R^1 , R^2 , and R^3 are each n-butyl.
12. **(currently amended)** The process of any one of claims 7 to [[11]]8, wherein
 - (a) R^4 and $[\text{R}^6] \text{R}^5$ are both methyl; or
 - (b) R^4 and $[\text{R}^6] \text{R}^5$ are both ethyl; or
 - (c) R^4 and $[\text{R}^6] \text{R}^5$ are both n-butyl.
13. **(currently amended)** The process of claim 7 or 8, wherein the compound of formula (I) is selected from the group consisting of
 - tri-(n-butyl)methylphosphonium methylsulfate;
 - tri-(n-butyl)ethylphosphonium ethylsulfate;